

Linergy FM - distribution block - 80 A - W=24 modules 36 holes quick connect

04000

Discontinued on: 20 Sept 2021

① Discontinued

Main

Range	Linergy	
Range Of Product	Prisma Plus System P	
	Prisma Plus System G	
Product Or Component Type	Device feeder	
Product Name	Linergy FM	
Range Compatibility	Prisma Prisma G	
	Prisma Prisma P	
	Prisma Prisma PH	
	Prisma Prisma Pack 250	
Product Compatibility	Spacial enclosures	
Ip Degree Of Protection	IP20	

Complementary

Mounting Support	DIN rail Plain backplate Slotted backplate
Mounting Mode	Clip-on By screws
Installed Device	modular device
Poles Description	3P + N
[Ue] Rated Operational Voltage	440 V AC
[Ui] Rated Insulation Voltage	500 V AC 50/60 Hz
[Uimp] Rated Impulse Withstand Voltage	6 kV
[le] Rated Operational Current	80 A
[In] Rated Current	80 A at 40 °C
[lpk] Rated Peak Withstand Current	12 kA
I ² T On Activation	2400000 A².s
Connections - Terminals	Supply: tunnel type terminal25 mm² (flexible) Supply: tunnel type terminal35 mm² (rigid) Distribution: quick-connect terminal strips (phase) , 18 x 46 mm² Distribution: quick-connect terminal strips (neutral) , 18 x 46 mm²
9 Mm Pitches	48
Total Number Of 18 Mm Modules	24
Net Weight	0.902 kg
Colour	Anthracite grey (RAL 7016)

Environment

Standards	IEC 61439-1, inside Prisma IEC 61439-2, inside Prisma IEC 60947-7-1
Product Certifications	ASEFA

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

Contractual warranty

Warranty 18 months

20 Apr 2024

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

Ø	Reach Free Of Svhc	
Ø	Toxic Heavy Metal Free	
Ø	Mercury Free	
②	Rohs Exemption Information	Yes
②	Halogen Free Product	
Rea	ch Regulation	REACh Declaration
Eu F	Rohs Directive	Compliant
		EU RoHS Declaration
Chir	na Rohs Regulation	China RoHS declaration
		Pro-active China RoHS declaration (out of China RoHS legal scope)
Wee	e	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins