



Modbus Plus trunk cable - for Modbus Plus junction box - 30 m

490NAA27101

Main

Accessory / Separate Part Designation	Modbus Plus trunk cable
Accessory / Separate Part Type	Connecting cable
Accessory / Separate Part Category	Connection accessories
Product Compatibility	990NAD23000 990NAD23010
Accessory / Separate Part Destination	Modbus Plus junction box
Range Compatibility	Modicon Momentum automation platform Modicon Quantum automation platform Magelis XBT Modicon Premium automation platform Lexium 15 motion control
Cable Length	30 m

Complementary

Type Of Cable	Shielded twisted pair
Communication Network Type	Modbus Plus
Electrical Connection	Free wire ends
Net Weight	1833 kg

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	11.000 cm
Package 1 Width	20.000 cm
Package 1 Length	20.000 cm
Package 1 Weight	1.835 kg
Unit Type Of Package 2	P12
Number Of Units In Package 2	72
Package 2 Height	95.000 cm
Package 2 Width	80.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	145.120 kg

Contractual warranty

Warranty

18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

⊘	Reach Free Of Svhc	
②	Toxic Heavy Metal Free	
9	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations