# **Product datasheet**

Specifications





## TeSys LE - enclosed DOL starter -25 A - 380 V AC coil

LE1D25Q7

#### Main

Range	TeSys	
Product Name	TeSys LE	
Device Short Name	LE1D	
Product Or Component Type	Enclosed DOL starter	
Device Application	Standard	
Utilisation Category	AC-3	
<b>Device Composition</b>	Thermal overload relay ordered separately Contactor	
Control Type	Push-button start green I Push-button stop/reset red O	

### Complementary

Motor Power Kw	11 kW at 380/400 V AC 50/60 Hz
	11 kW at 415 V AC 50/60 Hz
	11 kW at 440 V AC 50/60 Hz
	15 kW at 500 V AC 50/60 Hz
	15 kW at 660/690 V AC 50/60 Hz
	5.5 kW at 220/230 V AC 50/60 Hz
[Ith] Conventional Free Air Thermal Current	22 A
[Uc] Control Circuit Voltage	380 V AC 50/60 Hz
Cable Entry Number	2 ISO20 top
	2 ISO25 top
	2 ISO20 bottom
	2 ISO25 bottom
Width	101 mm
Height	201 mm
Depth	153.5 mm
Net Weight	1.015 kg

#### **Environment**

Material	Polycarbonate
Ip Degree Of Protection	IP65 conforming to IEC 60529
Ik Degree Of Protection	IK07 conforming to IEC 60529
Standards	IEC 60947-4-1
Ambient Air Temperature For Operation	-540 °C
Environmental Characteristic	Standard environment

Life Is On Schneider 19 Apr 2024

Product Certifications UKCA

### **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	20.500 cm
Package 1 Width	18.500 cm
Package 1 Length	26.000 cm
Package 1 Weight	1.242 kg
Unit Type Of Package 2	P06
Number Of Units In Package 2	22
Package 2 Height	75.000 cm
Package 2 Width	60.000 cm
Package 2 Length	80.000 cm
Package 2 Weight	40.258 kg

### **Contractual warranty**

Warranty 18 months



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

#### Well-being performance

<b>⊘</b>	Reach Free Of Svhc	
<b>9</b>	Toxic Heavy Metal Free	
<b>②</b>	Mercury Free	
<b>⊘</b>	Rohs Exemption Information	Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
<b>Environmental Disclosure</b>	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information